


Metro Wall Panels






Methodical curves and parallel lines come together in the Metro Wall Panel. Like a complex train system, Metro's intricate network whisks you away to see the sights while cutting out the noise.


How to Specify

Step by step instructions on how to specify Metro Wall Panels.



01

Choose thickness.
(pg 03)




02

Option A

Choose panel design and create your own configuration.


Option B

Choose one of our configurations.
(pg 04-05)



03

Choose colour.
(pg 06-10)



04

Choose installation method.
(pg 11)

Dimensions

Standard Dimensions (mm)

600 W x 600 H

Standard Thicknesses (mm)

12, 18, 24


Edge Detail



Bevel Edge

Customization


Width and Height can be customized to fit your space.




Panel Designs

The building blocks of Metro Wall Panel designs.


Design A




Design B




Design C




Design D




Design E




Design F




Design G




Design H




Design I




Design J



Design K




Design L




Configurations

Mix and match panel designs to make the wall your own, or choose from one of the following suggestions.


Config 1




Config 2




Config 3




Config 4



Config 5



Config 6



Customization

Metro is designed for customization. Ask us about changing the panel design, configuration, or colour to fit your space.


Colourways

Spice it up with multi-coloured panels through our digital printing process. The colours in these curated sets pair perfectly with each other and highlight the structure of the panel design.


Vancouver




VA 01



VA 02



VA 03




VA 04


New York




NY 01



NY 02



NY 03




NY 04


Madrid




MA 01



MA 02



MA 03



MA 04


Sao Paulo




SA 01



SA 02




SA 03




SA 04


Seoul




SE 01



SE 02



SE 03



SE 04


Dubai




DU 01



DU 02



DU 03




DU 04


Colourways can be specified in either one-colour, two-colour or multi-colour sets.

Colourways


One-Colour




Config 1 in SA 03.




Config 1 in MA 01.




Config 2 in NY 04.




Config 3 in DU 03.




Config 4 in SE 03.



Config 5 in NY 02.




Config 5 in VA 01.




Config 6 in SA 01.

Colourways


Two-Colour




Config 1 in MA 01, MA 02.




Config 1 in DU 01, DU 03.




Config 2 in VA 01, VA 02.




Config 2 in VA 03, VA 04.




Config 3 in NY 01, NY 02.



Config 5 in VA 01, VA 02.




Config 5 in SA 01, SA 02.




Config 6 in SE 01, SE 02.

Colourways


Multi-Colour




Config 3 in SE 01, SE 02, SE 03, SE 04.




Config 3 in DU 01, DU 02, DU 03, DU 04.




Config 5 in VA 01, VA 02, VA 03.




Config 5 in NY 01, NY 02, NY 03.




Config 4 in MA 01, MA 02, MA 03.



Config 4 in VA 01, VA 02, VA 03, VA 04.



Config 6 in DU 01, DU 02, DU 03, DU 04.



Config 6 in SA 02, SA 03, SA 04.

Standard Colours

Choose from any one of our standard colours.

METRO

WALL PANELS


AKUSTUS.COM



Pure White
SP 07




Urban Grey
SP 79




Pumice
SP 11




Warm Grey
SP 76




Cool Grey
SP 36



Mid Grey
SP 37



Graphite
SP 03



Black
SP 13



Ivory
SP 77



Beige
SP 04




Sandstone
SP 12



Taupe Grey*
SP 90




Castlerock*
SP 80




Krypton
SP 30




Purple
SP 50




Plum
SP 72




Blush Pink
SP 81




Red
SP 08




Orange
SP 46




Yam
SP 28




Mustard*
SP 87




Sunflower
SP 05




Chartreuse
SP 43




Aquamarine
SP 73




Pale Teal
SP 74




Lagoon*
SP 84




Dark Turquoise
SP 71



Azure*
SP 85



Sky Blue
SP 25




Navy
SP 01




Deep Sea Blue*
SP 83




Midnight Blue
SP 19




Olive*
SP 88




Moss*
SP 89



Desert Sage
SP 78



Peacock*
SP 82



Ocean Green*
SP 86



Forest Green
SP 17

Don't see something you love? Ask us about creating your own custom colour.


All colours available in 9, 12, 18, and 24 mm unless noted otherwise.

* 12 mm / 24 mm only


Installation

This is an overview of the available installation methods. Check out our installation guide for more details.


Construction Adhesive




Push Mount Clips



Z-Clips



Concealed Mechanical Fasteners



Product Specifications

Metro Wall Panels

Composition

100% polyester fibre

VOC Emissions

CDPH (CA 01350)

Antimicrobial Testing

Mould & mildew resistant

Fire Rating

- ASTM E84 Class A
- CAN/ULC-S102.2-10

Sustainability

- 100% recyclable
- LBC Red List free
- Contributes to LEED certification
- Free of toxic substances and of off-gassing
- Made with ~60% recycled content from plastic water bottles


Colour & Texture Variations

The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.



Sound Absorption Graph

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a.



	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	NRC	SAA
12 mm	0.04	0.09	0.13	0.15	0.28	0.38	0.48	0.54	0.58	0.66	0.73	0.65	0.40	0.39
18 mm	0.10	0.12	0.18	0.30	0.44	0.63	0.72	0.81	0.87	0.91	0.94	0.97	0.60	0.58
24 mm	0.14	0.24	0.29	0.41	0.69	0.80	0.87	0.94	0.96	0.94	0.88	0.86	0.70	0.67

Product Care

Handling & Storage

Handle products with care so as to avoid folding the polyester felt, chipping its edges, or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight, and the elements.

Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

