

Trellis Clouds







No matter what shape the Trellis Cloud comes in, its ability to absorb sound and its characteristic grid stay the same. Designed to resemble the trellis structures that adorn gardens and backyards, Trellis Clouds nurture the same sense of peace and calm in a laid-back cafe or in a bustling office. Suspend them from the ceiling and watch them work their magic.

How to Specify


Step by step instructions on how to specify Trellis Clouds.



01
Choose cloud design and size.
 (pg 03-05)



02
Choose colour.
 (pg 06)





03
Choose installation method.
 (pg 07)


Dimensions

Circle

Top View



Perspective View




Side View




Diagonal A

Top View



Perspective View




Side View




Diagonal B


Top View



Perspective View



Side View



Standard Dimensions (mm)

Circle	1218 W x 1218 L 2436 W x 2436 L
Diagonal	1205 W x 1205 L
Pod	1218 W x 1218 L 2436 W x 2436 L
Rectangle	1218 W x 1218 L 1218 W x 2436 L 2436 W x 2436 L
Tapered	1284 W x 1284 L 1284 W x 2418 L

Standard Height (mm)

245

Edge Detail



Square Edge



Customization

Width, Length, and Height can be customized to fit your space.


Dimensions

Pod



Top View



Perspective View






Side View




Rectangle



Top View



Perspective View



Side View



Standard Dimensions (mm)

Circle	1218 W x 1218 L 2436 W x 2436 L
Diagonal	1205 W x 1205 L
Pod	1218 W x 1218 L 2436 W x 2436 L
Rectangle	1218 W x 1218 L 1218 W x 2436 L 2436 W x 2436 L
Tapered	1284 W x 1284 L 1284 W x 2418 L

Standard Height (mm)

245

Edge Detail



Square Edge

Customization

Width, Length, and Height can be customized to fit your space.

Dimensions

Standard Dimensions (mm)

Circle	1218 W x 1218 L
	2436 W x 2436 L
Diagonal	1205 W x 1205 L
Pod	1218 W x 1218 L
	2436 W x 2436 L
Rectangle	1218 W x 1218 L
	1218 W x 2436 L
	2436 W x 2436 L
Tapered	1284 W x 1284 L
	1284 W x 2418 L

Standard Height (mm)

245

Edge Detail





Square Edge

Customization


Width, Length, and Height can be customized to fit your space.

Tapered


Top View



Side View



Perspective View



Standard Colours


Choose from any one of our standard colours.



Pure White
SP 07




Urban Grey
SP 79




Pumice
SP 11




Warm Grey
SP 76



Cool Grey
SP 36



Mid Grey
SP 37



Graphite
SP 03



Black
SP 13



Ivory
SP 77



Beige
SP 04




Sandstone
SP 12



Taupe Grey*
SP 90




Castlerock*
SP 80




Blush Pink
SP 81




Plum
SP 72




Red
SP 08




Orange
SP 46




Yam
SP 28




Sunflower
SP 05



Chartreuse
SP 43



Desert Sage
SP 78



Peacock*
SP 82



Mustard*
SP 87



Olive*
SP 88



Moss*
SP 89



Lagoon*
SP 84



Azure*
SP 85



Forest Green
SP 17



Ocean Green*
SP 86




Deep Sea Blue*
SP 83



Krypton
SP 30




Pale Teal
SP 74




Aquamarine
SP 73




Dark Turquoise
SP 71



Sky Blue
SP 25



Navy
SP 01



Midnight Blue
SP 19



Purple
SP 50


Don't see something you love? Ask us about creating your own custom colour.

All colours available in 9, 12, 18, and 24 mm unless noted otherwise.

* 12 mm / 24 mm only

Installation

Cloud Suspension Kit



Product Specifications

Trellis Clouds

Composition

100% polyester fibre

VOC Emissions

CDPH (CA 01350)

Antimicrobial Testing

Mould & mildew resistant

Fire Rating

- ASTM E84 Class A
- CAN/ULC-S102.2-10

Sustainability

- 100% recyclable
- LBC Red List free
- Contributes to LEED certification
- Free of toxic substances and of off-gassing
- Made with ~60% recycled content from plastic water bottles


Colour & Texture Variations

The felting and dyeing process that forms the material contributes to its unique texture but also to variations in texture and colour from panel to panel. Products will be provided within an acceptable range of variation.



Sound Absorption Graph

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a.



	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	NRC	SAA
12 mm OC 152 mm	0.37	0.44	0.67	0.77	0.89	0.99	1.11	1.26	1.34	1.48	1.72	1.88	1.10	1.08
12 mm OC 203 mm	0.25	0.35	0.58	0.67	0.73	0.83	0.89	0.95	1.05	1.28	1.42	1.56	0.85	0.88

Product Care

Handling & Storage

Handle products with care so as to avoid folding the polyester felt, chipping its edges, or indenting its faces. Store products in their original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay them flat on their faces; do not stand them on their edges. Protect from moisture, heat, direct sunlight, and the elements.

Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

Maintenance

Lightly brush or gently vacuum to remove dust from polyester felt. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applying the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

